

ATTACHMENT 1

DUST CONTROL PLAN FORMS

1. Dust Control Plan (form DCP 01)
2. Dust Control Plan Checklist (form DCP 02)
3. Control Measure Identification (form DCP 03)
4. Owner's Designee (form DCP 04)
5. Dust Control Plan Modification (form DCP 05)
6. Dust Palliative Information (form DCP 06)
7. Certificate of Project Completion (form DCP 07)
8. Modification of Dust Control Plan – Transfer of Plan and/or Change of Property Owner (form DCP 08)
9. Request for Hearing Before Nye County Hearing Officer: Appeal of Notice of Alleged Violation (form DCP 09)
10. Record of Daily Dust Control for Construction Activities (form DCP 10)

INSTRUCTION SHEET FOR A DUST CONTROL PLAN

1. Complete the Dust Control Plan form (DCP 01) and any additional forms required for completion and attachment. **As a minimum, the Dust Control Plan must include the forms and maps described on this page.**
2. Use the **Dust Control Plan Checklist** (DCP 02) to determine which Construction Best Management Practices (BMPs) are to be included in the Dust Control Plan. The checklist divides the construction project into seven (7) groups based on typical project stages: 1) Offsite Utility and Street Development, 2) Site Preparation and Earthwork, 3) Forms Construction and Slab Pouring, 4) Subgrade Preparation and Paving, 5) Building, 6) Landscaping, and 7) Activities for Every Stage. Mark the box next to all Project Activities that are applicable to your project.
3. Complete the **Control Measure Identification** form (DCP 03). Use the Project Activities Checklist (DCP 02) to itemize project stages and activities. Select and list BMP Control Measures to be used to fulfill each requirement for the Project Activity on the Control Measure Identification form. If available, select at least one Control Measure corresponding to the identified soil particulate emission potential (PEP). See Control Measures Identification Instruction page of this section for detailed instructions.
4. Provide a map showing the vicinity of the project, clearly identifying the closest major cross streets or other landmarks and the project location. Label this map "**Vicinity Map**". Required map size is 8 ½ x 11 inches. For projects less than 10 acres, where the required Assessor Parcel Maps listed below indicates known cross streets, this map is not required.
5. Provide an 8 ½ x 11 inch **Assessor Parcel Map** for the property(s) on which the project will be occurring. Outline or highlight the affected parcels. Assessor Parcel Maps may be obtained from the Nye County Assessor's Office. Projects that entail installation or construction of linear features such as roads, pipelines or other utilities that border or cross more than two Assessor's Parcel Maps are only required to provide an Assessor's Parcel Map(s) for those areas that show the material and equipment staging areas; but a detailed vicinity map adequately depicting the entire project area, including staging areas, must be provided.
6. Submit Dust Control Plan and fee to Nye County. Dust Control Plans will be accepted Monday through Friday, 8:00 a.m. to 4:30 p.m., at the address specified in the Introduction section of the Nye County Dust Management Handbook (page1). Applicable fees are described in DCP 06 (Dust Control Plan Fees) of the Nye County Dust Management Handbook.

FOR Nye County USE ONLY

PLAN NUMBER	ISSUE DATE	ISSUED BY	
DATE PAID	\$ AMOUNT	CHECK #	COMPANY NAME
RECEIVED BY			\$ BALANCE DUE
NYE COUNTY REVIEW: _____		DATE: _____	

DUST CONTROL PLAN

Construction activities include but are not limited to: cut and fill, site cleanup, staging areas, stockpiles, surface grading, trenching, landscaping and construction.

- ◆ A Dust Control Plan is required for all projects disturbing 0.5 acre or more. Attach a copy of the Dust Control Plan (DCP 01) including maps and required supplemental forms and documents.
- ◆ **For projects with aggregate disturbances of 5 acres or more, Nevada Division of Environmental Protection (NDEP) also requires a Surface Area Disturbance (SAD) permit or other permits. Please check with the NDEP permitting branch in Carson City at (775) 687-9339 and/or obtain the forms at the following web address; <http://www.ndep.nv.gov/bapc/permitd.html>.**
- ◆ A copy of the submitted Dust Control Plan including all maps must be on-site prior to commencing construction activity.
- ◆ A Dust Control Plan Sign must be erected on-site prior to commencing construction activity.
- ◆ Owner/Operator is responsible for dust control 24 hours per day, 7 days per week until a Certificate of Project Completion is submitted by the Owner/Operator and reviewed by a Code Compliance Officer.

Please print in ink or type. Blank spaces must be completed for the application to be processed. If not applicable, enter N/A.

1. **Project Name:** _____

2. **Dust Control Plan Filing (check one):** New Renewal

3. **Owner/Operator:**

Property Owner Developer Prime Contractor Other

Name: _____

Address: _____

City: _____ State: _____ Zip: _____

Telephone: _____ Fax: _____

E-mail Address: _____

4. Property Owner: (if applicant is NOT the Property Owner, Owner's Designee form DCP 04 is required, See Attachment 1: Dust Control Plan Forms)

Name: _____

Address: _____

City: _____ State: _____ Zip: _____

Telephone: _____ Fax: _____

5. Project Address or Location:

Address: _____ City: _____

Nearest major cross-streets: _____

Township(s): _____ Range(s): _____ Section(s): _____

Assessor's Parcel number(s) (Attach map): _____

6. Point of Contact for dust control matters and to whom a NOTICE OF ALLEGED VIOLATION should be sent if necessary:

Name: _____

Company: _____

Address: _____

City: _____ State: _____ Zip: _____

Telephone: _____ Ext: _____ Fax: _____

Cell/Pager: _____ After Hours Phone: _____

7. On-site Superintendent/Supervisor/Foreman contact:

Name: _____ Company: _____

On-site phone: _____ Cell/Pager: _____

The signatory on this Dust Control Plan shall constitute agreement by the Owner/Operator to be the person with authority to enforce compliance by all contractors and subcontractors with the Dust Management Handbook, Dust Control Measures, Dust Control Plan, any Plan supplements, and Section 15.28 of the Nye County Dust Control Code.

The holder of the Plan agrees to allow inspection of the premises to which the Plan relates by any authorized officer of Nye County at any time during the holder's hours of operation without prior notice.

OWNER/OPERATOR (AGENT) SIGNATURE

DATE

PRINTED NAME

TITLE AND COMPANY NAME

Dust Control Plan completed by, if not completed by signatory (Please Print):

Name

Phone Number, ext.

DUST CONTROL PLAN CHECKLIST

Instructions: In each Stage column, place a mark in the box in the Project Activity row for each activity that will occur in your project. Refer to the Best Management Practices (BMP) for dust control in the Nye County Dust Management Handbook for a complete list and descriptions.

If additional soil disturbing activities are to be included in a project stage, include them as “Other” and provide a description.

If a stage is not applicable to your project, mark the box in the “Stage Not Applicable” row.

If an activity is applicable to all stages of your project, for example BMP 04 Disturbed Soil, mark the box in the “Activities for Every Stage” column.

Project Name: _____
 Submittee Name: _____

DUST CONTROL PLAN CHECKLIST

		Stage						
		Activities for Every Stage	Offsite Utility and Street Development	Site Preparation and Earthwork	Forms Construction and Slab Pouring	Subgrade Preparation and Paving	Building	Landscaping
BMP	Project Activity	1	2	3	4	5	6	
	Stage Not Applicable							
01	Backfilling							
02	Clearing & Grubbing							
03	Cut and/or Fill							
04	Disturbed Soil							
05	Disturbed Land - Long Term Stabilization							
06	Dust Suppressants - Selection and Use							
07	Importing/Exporting Materials							
08	Landscaping							
09	Paving/Subgrade Preparation							
10	Staging Areas							
11	Stockpiles							
12	Trackout Prevention and Cleanup							
13	Traffic - Unpaved Routes and Parking							
14	Trenching							
15	Truck Loading							
	Other (include description below)							

Control Measure Identification

(Make additional copies of this page as necessary)

STAGE IDENTIFICATION:

ALL = Activities for Every Stage

(2) = Site Preparation and Earthwork

(4) = Subgrade Preparation and Paving

(1) = Offsite Utilities and Street Development

(3) = Forms Construction and Slab Pouring

(5) = Building

(6) = Landscaping

Project Activity: _____ BMP #: _____

Stage(s) (Check all that apply for this Project Activity):

ALL (1) (2) (3) (4) (5) (6)

Control Measure # _____

Control Measure # _____

Control Measure # _____

Control Measure # _____

Contingency Measure: Control Measure # _____

Project Activity: _____ BMP #: _____

Stage(s) (Check all that apply for this Project Activity):

ALL (1) (2) (3) (4) (5) (6)

Control Measure # _____

Control Measure # _____

Control Measure # _____

Control Measure # _____

Contingency Measure: Control Measure # _____

Project Activity: _____ BMP #: _____

Stage(s) (Check all that apply for this Project Activity):

ALL (1) (2) (3) (4) (5) (6)

Control Measure # _____

Control Measure # _____

Control Measure # _____

Control Measure # _____

Contingency Measure: Control Measure # _____

Project Activity: _____ BMP #: _____

Stage(s) (Check all that apply for this Project Activity):

ALL (1) (2) (3) (4) (5) (6)

Control Measure # _____

Control Measure # _____

Control Measure # _____

Control Measure # _____

Contingency Measure: Control Measure # _____

Control Measure Identification

(Make additional copies of this page as necessary)

STAGE IDENTIFICATION:

- | | |
|---------------------------------------|--|
| ALL = Activities for Every Stage | (1) = Offsite Utilities and Street Development |
| (2) = Site Preparation and Earthwork | (3) = Forms Construction and Slab Pouring |
| (4) = Subgrade Preparation and Paving | (5) = Building |
| | (6) = Landscaping |

Project Activity: _____ BMP #: _____

Stage(s) (Check all that apply for this Project Activity):

ALL (1) (2) (3) (4) (5) (6)

Control Measure # _____

Control Measure # _____

Control Measure # _____

Control Measure # _____

Contingency Measure: Control Measure # _____

Project Activity: _____ BMP #: _____

Stage(s) (Check all that apply for this Project Activity):

ALL (1) (2) (3) (4) (5) (6)

Control Measure # _____

Control Measure # _____

Control Measure # _____

Control Measure # _____

Contingency Measure: Control Measure # _____

Project Activity: _____ BMP #: _____

Stage(s) (Check all that apply for this Project Activity):

ALL (1) (2) (3) (4) (5) (6)

Control Measure # _____

Control Measure # _____

Control Measure # _____

Control Measure # _____

Contingency Measure: Control Measure # _____

Project Activity: _____ BMP #: _____

Stage(s) (Check all that apply for this Project Activity):

ALL (1) (2) (3) (4) (5) (6)

Control Measure # _____

Control Measure # _____

Control Measure # _____

Control Measure # _____

Contingency Measure: Control Measure # _____

Control Measure Identification

(Make additional copies of this page as necessary)

STAGE IDENTIFICATION:

ALL = Activities for Every Stage

(2) = Site Preparation and Earthwork

(4) = Subgrade Preparation and Paving

(1) = Offsite Utilities and Street Development

(3) = Forms Construction and Slab Pouring

(5) = Building

(6) = Landscaping

Project Activity: _____ BMP #: _____

Stage(s) (Check all that apply for this Project Activity):

ALL (1) (2) (3) (4) (5) (6)

Control Measure # _____

Control Measure # _____

Control Measure # _____

Control Measure # _____

Contingency Measure: Control Measure # _____

Project Activity: _____ BMP #: _____

Stage(s) (Check all that apply for this Project Activity):

ALL (1) (2) (3) (4) (5) (6)

Control Measure # _____

Control Measure # _____

Control Measure # _____

Control Measure # _____

Contingency Measure: Control Measure # _____

Project Activity: _____ BMP #: _____

Stage(s) (Check all that apply for this Project Activity):

ALL (1) (2) (3) (4) (5) (6)

Control Measure # _____

Control Measure # _____

Control Measure # _____

Control Measure # _____

Contingency Measure: Control Measure # _____

Project Activity: _____ BMP #: _____

Stage(s) (Check all that apply for this Project Activity):

ALL (1) (2) (3) (4) (5) (6)

Control Measure # _____

Control Measure # _____

Control Measure # _____

Control Measure # _____

Contingency Measure: Control Measure # _____

Control Measure Identification

(Make additional copies of this page as necessary)

STAGE IDENTIFICATION:

- | | |
|---------------------------------------|--|
| ALL = Activities for Every Stage | (1) = Offsite Utilities and Street Development |
| (2) = Site Preparation and Earthwork | (3) = Forms Construction and Slab Pouring |
| (4) = Subgrade Preparation and Paving | (5) = Building |
| | (6) = Landscaping |

Project Activity: _____ BMP #: _____

Stage(s) (Check all that apply for this Project Activity):

ALL (1) (2) (3) (4) (5) (6)

Control Measure # _____

Control Measure # _____

Control Measure # _____

Control Measure # _____

Contingency Measure: Control Measure # _____

Project Activity: _____ BMP #: _____

Stage(s) (Check all that apply for this Project Activity):

ALL (1) (2) (3) (4) (5) (6)

Control Measure # _____

Control Measure # _____

Control Measure # _____

Control Measure # _____

Contingency Measure: Control Measure # _____

Project Activity: _____ BMP #: _____

Stage(s) (Check all that apply for this Project Activity):

ALL (1) (2) (3) (4) (5) (6)

Control Measure # _____

Control Measure # _____

Control Measure # _____

Control Measure # _____

Contingency Measure: Control Measure # _____

Project Activity: _____ BMP #: _____

Stage(s) (Check all that apply for this Project Activity):

ALL (1) (2) (3) (4) (5) (6)

Control Measure # _____

Control Measure # _____

Control Measure # _____

Control Measure # _____

Contingency Measure: Control Measure # _____

**OWNER'S DESIGNEE FOR DUST CONTROL PLAN
FOR CONSTRUCTION ACTIVITIES (Must be notarized)**

An Excavation / Encroachment / Offsite permit for government owned land may be submitted in lieu of this form.

1. DESIGNEE INFORMATION:

Designee: _____

Address: _____

City: _____ State: _____ ZIP: _____

Phone: _____ Ext: _____ Fax: _____

2. PROPERTY OWNERS INFORMATION:

Property Owner Easement Holder Right of Way Holder

Name: _____

Address: _____

City: _____ State: _____ ZIP: _____

Phone: _____ Ext: _____ Fax: _____

3. PROPERTY PHYSICAL INFORMATION:

Project Address or, if none, description of location: _____

Major Cross Streets: _____ Assessor Parcel Map #: _____

I hereby authorize the person listed as my designee to act on my behalf in all matters regarding the requirements of the Dust Control Plan. The Designee is responsible until such time the Plan is closed in accordance with Nye County Codes. The Designee is responsible for ensuring the contractor(s), subcontractor(s), and all other persons associated with the Project be certified and comply with the "Conditions of Plan". They have full authorization to modify and close the Dust Control Plan for Construction Activities for my property.

Signature Owner/Holder Printed Name

Title and Company Date


State of _____

County of _____

Subscribed and sworn to before me on this _____ day

of _____ 20____

by _____.



Notary Signature

APPLICATION FOR DUST CONTROL PLAN MODIFICATION

Submit applicable fee per DCP 06 (Dust Control Plan Fees) of the Nye County Dust Management Handbook

1. **GENERAL INFORMATION:** Plan Number: _____

Owner/Operator: _____

Project Name: _____

Project Address/Location: _____

2. **IS MODIFICATION REQUESTED AS A RESULT OF A NOTICE OF ALLEGED VIOLATION OR ORDER?**

Yes No

3. **INFORMATION TO BE MODIFIED:**

Control/Contingency Measures and/or Stages: (check all stages to be modified)

<input type="checkbox"/> Activities for Every Stage	<input type="checkbox"/> Offsite Utility and Street Development
<input type="checkbox"/> Site Preparation and Earthwork	<input type="checkbox"/> Forms Construction and Slab Pouring
<input type="checkbox"/> Subgrade Preparation and Paving	<input type="checkbox"/> Building <input type="checkbox"/> Landscaping

Attach modified Dust Control Plan Checklist (DCP 02) and Control Measure Identification (DCP 03) forms for additional activities.

Project Acreage:

Acreage to be added: _____ Acreage to be removed: _____

Attach a revised map showing the originally permitted area and the area to be added/removed. Attach Owners Designee (DCP 04) form(s) for any additional parcel(s) to be added.

Contact Information:

Point of Contact On-site Contact

Attach current information.

Other:

Attach modifications and/or current information.

4. **SUBMITTED BY:**

Signature: _____ Date: _____

Name: _____ Company Name/Title: _____

5. **REVIEWED BY:**

Nye County: _____ Date: _____

DUST PALLIATIVE INFORMATION

1. DUST CONTROL PLAN INFORMATION: *(if applicable)*

Plan Number: _____

Owner/Operator: _____

Project Name: _____

2. DUST PALLIATIVE INFORMATION:

Project Address/Location: _____

Date of Application: _____ Acreage or Square Footage stabilized: _____

Product Name of Dust Palliative: _____

Type of Dust Palliative: _____

Dilution Rate: _____ Application Rate: _____

Method of Application (Topical/Blended): _____

Traffic Non-Traffic Equipment Used: _____

3. APPLICATOR INFORMATION:

Company: _____

Address: _____

Contact Name: _____ Nevada Contractor's License #: _____

Phone Number: _____ FAX Number: _____

Is there a warrantee on services provided? Yes No

If yes, terms of warrantee: _____

If no, how long is the Dust Palliative expected to be effective: _____

Signature of Applicator: _____ Date: _____

4. SUBMITTED BY:

Signature: _____ Date: _____

Name: _____

Company Name/Title: _____

CERTIFICATE OF PROJECT COMPLETION

This form must be submitted within 20 working days of the completion or long term curtailment of the project.

1. DUST CONTROL PLAN INFORMATION:

Plan Number: _____

Owner/Operator: _____

Project Name: _____

Project Address/Location: _____

2. CLOSURE INFORMATION:

Owner/Operator Statement

I verify no further soil disturbing construction activities will occur at the above referenced location. All project soils designated in the Dust Control Plan have been permanently stabilized by the following method(s) (Check all that apply):

- | | | |
|---|---|---------------------------------|
| <input type="checkbox"/> Buildings | <input type="checkbox"/> Landscaping | <input type="checkbox"/> Paving |
| <input type="checkbox"/> Application of gravel cover | <input type="checkbox"/> Application of dust palliative | |
| <input type="checkbox"/> <1/4 acre disturbed soil remains | | |
| <input type="checkbox"/> Other method (describe): _____ | | |

I further verify that this project has not created any emission units that require an Air Quality Operating Permit (issued by NDEP).

Owner/Operator Signature: _____ Date: _____

Requests return fax with inspection results? No Yes, Fax #: _____

Nye County use only

Inspection Results

An inspection by a Nye County Code Compliance Officer has been performed with the following results:

- Construction has ceased and the entire site has been adequately treated for long-term stabilization (PASS)
- Construction has ceased, but the site has not been adequately treated for long-term stabilization *in certain areas* (FAIL)
- Construction has ceased, but the site has not been adequately treated for long-term stabilization (FAIL)

Notes: _____

Code Compliance Officer: _____ Date: _____

**MODIFICATION OF DUST CONTROL PLAN
TRANSFER OF PLAN AND/OR CHANGE OF PROPERTY OWNER**

Please print in ink or type. Blank spaces must be completed for the application to be processed. If not applicable, enter N/A.

- (mark all that apply)
1. This application is for: Transfer of Plan
 Change of Property Ownership

 2. Plan Number: _____
Project Name: _____

 3. Current Permit Holder: _____
Current Property Owner: _____

 4. New Owner/Operator (if applicable):
(if new Owner/Operator is NOT the Property Owner, Owner's Designee form DCP 04 from property owner is required, See Attachment 1: Dust Control Plan Forms)
 Property Owner Developer Prime Contractor Other _____
Name: _____
Address: _____
City: _____ State: _____ Zip: _____
Telephone: _____ Fax: _____
E-mail Address: _____

 5. New Property Owner (if applicable):
(if new Property Owner is NOT the Permittee, Owner's Designee form DCP 04 from new property owner is required, See Attachment 1: Dust Control Plan Forms)
Name: _____
Address: _____
City: _____ State: _____ Zip: _____
Telephone: _____ Fax: _____

 6. Point of Contact for dust control matters and to whom a NOTICE OF ALLEGED VIOLATION should be sent if necessary (if changed from current Plan):
Name: _____
Company: _____
Address: _____

6. Point of Contact (continued):

City: _____ State: _____ Zip: _____
Telephone: _____ Ext: _____ Fax: _____
Cell/Pager: _____ After Hours Phone: _____

7. On-site Superintendent/Supervisor/Foreman contact (if changed from current Plan):

Name: _____ Company: _____
On-site phone: _____ Cell/Pager: _____

The signatory on this Dust Control Plan submittal shall constitute an agreement by the Owner/Operator to be the person with authority to enforce compliance by all contractors and subcontractors with the Dust Management Handbook, Dust Control Measures, Dust Control Plan, any Plan supplements and Section 15.28 of the Nye County Dust Control Code.

The signatory further stipulates that by signing this application, he/she has read and understood the existing Dust Control Plan and associated documents, and agrees to abide by all conditions and requirements of that Plan.

The holder of the Plan agrees to allow inspection of the premises to which the Plan relates by any authorized officer of Nye County at any time during the holder's hours of operation without prior notice.

OWNER/OPERATOR (AGENT) SIGNATURE

PRINTED NAME

DATE

TITLE AND COMPANY NAME

REQUEST FOR HEARING BEFORE THE NYE COUNTY HEARING OFFICER

1. GENERAL INFORMATION: Plan Number: _____
Owner/Operator: _____
Project Name: _____
Project Address/Location: _____
NOAV #: _____ Date of Issue: _____
Nature of Alleged Violation: _____

2. PURPOSE OF REQUESTED HEARING:
 Contest the Penalty Assessed Contest the Facts Alleged and the Penalty Assessed
 Other: _____

Provide a Summary Explanation for Hearing Request (attach additional sheets as needed):

Nye County use only

Date Request Received By Nye County: _____

Nye County Representative Receiving Application: _____

Hearing request received within time limits established in the Nye County Dust Management Handbook. Hearing Scheduled for: _____
 Hearing request denied for failure to submit form within time limits established in the Nye County Dust Management Handbook.
 Other: _____

Notes: _____

ATTACHMENT 2

POLICY ON DUST PALLIATIVE USE IN THE PAHRUMP REGIONAL PLANNING DISTRICT, NYE COUNTY, NEVADA

POLICY ON DUST PALLIATIVE USE IN THE PAHRUMP REGIONAL PLANNING DISTRICT, NYE COUNTY, NEVADA

Glossary of Terms and Definitions
Environmental / Regulatory Requirements
General Use Requirements
Application Guidelines - Traffic Area Applications
Application Guidelines - Non-Traffic Area Applications

GLOSSARY OF TERMS AND DEFINITIONS¹

Application rate: Liquids - For liquid suppressants, the volume of mixed solution (concentrate plus water) applied per unit area of land. Typical application rates range from 0.10 to 1.00 gallons of mixed solution per square yard (gallon/yd²) of land.

Application rate: Fibers and Mulches - For fibers and mulches, the mass of solids in pounds applied per unit area of land. Typical application rates range from 500 pounds per acre to 6,000 pounds per acre.

Brine - Solution of salt in water. Strength of brine measured by percent solids by mass. For example: a 40 percent magnesium chloride brine has 40 percent solids by mass.

Deliquescent salts - Calcium chloride and magnesium chloride salts are deliquescent (readily drawing moisture from the atmosphere and melting). Calcium chloride is available as flake or brine. Magnesium chloride is available as brine. Brine solids contents are variable.

Dilution ratio - The ratio of the volume of concentrate to volume of water. Example; 1:4 means 1 volume of concentrate is to be mixed with 4 volumes of water, or 100 gallons of concentrate would be mixed with 400 gallons of water.

Dust Palliative - A hygroscopic material, non-toxic chemical stabilizer or other dust palliative which is not prohibited for ground surface application by the EPA or the Nevada Division of Environmental Protection (NDEP) or any applicable law or regulation, as a treatment material for reducing fugitive dust emissions. Water, solutions of water and chemical surfactants, and foam are not dust palliatives for the purpose of these Codes.

Dust Suppressant - Water, hygroscopic material, solution of water and chemical surfactants, foam, non-toxic chemical stabilizer or any other dust palliative which is not prohibited for ground surface application by the EPA or the Nevada Division of Environmental Protection (NDEP) or any applicable law or regulation, as a treatment material for reducing fugitive dust emissions.

Fibers/mulches - Blends of wood fiber or paper mulch with binder and or tackifier in water. Fibers and mulches are usually blended on-site. Formulation types and concentrations are often proprietary and depend on soil conditions and intended use.

Hygroscopic - Readily drawing moisture from the atmosphere but not melting. Dry sodium chloride is hygroscopic.

Lignosulfonate - By-product of sulfite paper-making process. Available as 10-25 percent volumetric residual solution, as a 50 percent volumetric residual solution, or as powdered solid to be mixed with water. May have high initial BOD (Biological Oxygen Demand).

¹ Principal source: Bolander and Yamada, Dust Palliative Selection and Application Guide – US Department of Agriculture, November, 1999.

Organic non-petroleum products - Vegetable oils; typical sources include canola oil, cottonseed oil, linseed oil and soybean oil. Applied full-strength at 0.25-0.50 gallon/yd².

Organic petroleum products - Available as cutback asphalt, asphalt emulsions, modified asphalt emulsions and other emulsified oils. Application rates highly variable, depending on road surface conditions, product type and dilution.

Synthetic polymers - By-products of adhesive manufacturing process. Available as 40-50 percent volumetric residual concentrate (40-60 percent solids by mass) in water, then diluted for application.

Tackifier - A substance used with water to hold together mulches and other dust palliatives. A tackifier binds small particles together without forming a hard crust. Many dust palliatives can be used in a dilute form as a tackifier.

Topical - Liquid dust suppressant application technique using a hose, spray bay or spray cannon.

Windrow - Method of making a temporary road surface. A 4- to 6-inch thick layer of soil is scraped off the surface. The surface is treated with dust suppressant. The windrow is scraped back onto the surface and another treatment of dust suppressant is applied. A compaction step may be necessary.

ENVIRONMENTAL AND REGULATORY REQUIREMENTS

Policy Background

The objective of this Policy on Dust Palliative Use in the Pahrump Regional Planning District, Nye County, Nevada is to facilitate the implementation of fugitive dust controls in a manner that prevents human exposure to harmful constituents and protects soil and water resources while achieving Dust Control objectives. This policy was based on current state and federal regulations that are applicable to soil contamination, groundwater contamination, and surface water contamination. Some requirements are also incorporated based on information currently available in the scientific literature.

This policy provides guidance on the use of dust palliatives and suppressants. The document lists applicable state regulations to the use of dust palliatives. This policy includes guidelines and requirements for the use of dust palliative products based on conditions in the Pahrump Regional Planning District.

Regulatory Basis For Guidance

- NAC 445A.2272 Contamination of soil: Establishment of action levels
- NAC 445A.22735 Contamination of groundwater: Establishment of action levels
- NAC 445A.2275 Contamination of surface water
- NRS 444.8565 "Hazardous Waste" defined
- NRS 444.861 "Used Oil" defined
- NRS 444.8632 Compliance with federal regulations adopted by reference
- NRS 444.8681 Mixing of used oil with hazardous waste or products
- NRS 444.8682 Requirements for managing and disposing of mixtures of used oil and hazardous waste or other products
- NRS 444.8683 Regulation of mixtures of used oil with wastes determined not to be hazardous

COMPLIANCE

Application of dust palliatives may be subject to sample collection and testing for compliance with applicable regulations of the Nevada Administrative Code and the Nevada Revised Statutes, and with the prohibited materials requirements and pH requirements set forth in this policy. Sample collection may be conducted by compliance staff of Nye County or the Nevada Division of Environmental Protection.

The requirements of this policy are applicable to Dust Control Plans submitted under the requirements of the Nye County Code 15.28.

Prohibited Materials

The materials and compounds listed on the following pages are not permitted in any dust suppressant product at detectable levels:

1) Banned Pesticides:²

- aldrin
- chlordane
- DDT
- DDE
- DDD
- Methoxychlor
- Dieldrin/endrin
- Heptachlor
- Hexachlorobenzene
- Lindane ((γ -BHC)
- 4. 2,3,4,5-Bis(2-butylene)tetrahydro-2- furaldehyde (Repellent-11)
- bromoxynil butyrate
- cadmium compounds
- calcium arsenate
- carbon tetrachloride
- chloranil

² **References:** a) United States Environmental Protection Agency
Office of Pesticide Programs

<http://www.epa.gov/oppfead1/international/piclist.htm>

b) The Merck Index, eleventh edition, Merck and company, Rahway, N. J., 1989

c) Environmental Chemistry, Manahan, S. Lewis Publisher, 1994.

d) Hazardous Wastes, Watts, R. Wiley Interscience, 1997.

e) Hazardous Waste Management, La Grega, M. McGraw Hill, 1994.

- chlordecone (kepone)
- chlorinated camphene [Toxaphene]
- chloromethoxypropylmercuric acetate (CPMA)
- copper arsenate
- DBCP
- Di(phenylmercury)dodecenylsuccinate (PMDS)
- EPN
- ethyl hexyleneglycol (6-12)
- lead arsenate
- leptophos
- mevinphos
- mirex
- nitrofen (TOK)
- OMPA (octamethylpyrophosphoramidate)
- phenylmercury acetate (PMA)
- phenylmercuric oleate (PMO)
- potassium 2,4,5-trichlorophenate (2,4,5-TCP)
- pyriminil (Vacor)
- safrole
- silvex
- sodium arsenite
- TDE
- Terpene polychlorinates (Strobane)
- thallium sulfate
- vinyl chloride

2) Severely Restricted Pesticides³

- arsenic trioxide
- carbofuran (granular only)
- daminozide/alar
- sodium arsenate
- tributyltin compounds

³ **References:** a) United States Environmental Protection Agency
Office of Pesticide Programs

<http://www.epa.gov/oppfead1/international/piclist.htm>

b) The Merck Index, eleventh edition, Merck and company, Rahway, N. J., 1989

c) Environmental Chemistry, Manahan, S. Lewis Publisher, 1994.

d) Hazardous Wastes, Watts, R. Wiley Interscience, 1997.

e) Hazardous Waste Management, La Grega, M. McGraw Hill, 1994.

- 3) Dioxins
- 4) Asbestos
- 5) PCBs

pH Limits

All dust suppressant products shall have a pH value of not less than four (pH = 4) or greater than nine (pH = 9) as applied.

GENERAL USE REQUIREMENTS

Open Bodies of Water and Drinking Water Well-Heads:

Organic petroleum products, deliquescent/hygroscopic salts, and lignin-based palliatives may not be used within 20 yards of open bodies of water, including lakes, streams, and canals, or within 20 yards of a drinking water well-head. This buffer zone is intended to prevent leachate from these palliatives from reaching an open body of water or a ground water aquifer.

Natural Washes and Flood Control Channels:

Organic petroleum products, deliquescent/hygroscopic salts, and lignin-based palliatives may not be used within twenty 20 yards of any natural wash or flood control channel. This buffer zone is intended to prevent leachate from these palliatives from reaching a natural wash or flood channel, and subsequently being flushed into surface waters or drinking water supplies during a rain event.

Surfactants:

Surfactants may not contain phosphates. Surfactants by themselves are not allowed for use as a dust palliative because they do not form a durable soil surface. Non-phosphate surfactants may be combined with dust palliatives to assist penetration of dust palliatives into hydrophobic soils.

Pesticide Application With Dust Palliatives:

Any person who applies any pesticide material with a dust palliative is required to hold a valid pesticide applicators license issued by the State of Nevada.

Dust Palliative Dilution and Tank Cleaning:

Dust palliative applicators should be aware that use of water tainted with any of the above-listed prohibited or severely restricted chemicals, or with other compounds that would result in a violation of applicable codes and regulations for the dilution of dust

palliatives could result in a palliative mixture that would not comply with applicable environmental regulations or the pH requirements for dust palliatives set forth in this policy.

Only potable water supplies or reclaimed water, meaning wastewater that, as a result of appropriate treatment, is suitable for subsequent beneficial use, may be used as a diluent for dust suppressants. Application or transport tanks that have been used for other purposes, such as pesticide use, must be cleaned in accordance with applicable regulations before being used to transport, mix, or apply a dust palliative.

Traffic Area Applications:

1. Fiber mulch products are not allowed for use as a dust palliative in traffic areas. These products do not hold up well for traffic use.
2. Use of deliquescent/hygroscopic salts are limited to magnesium chloride and only allowed for short-term (less than one year) stabilization of unpaved roads. Treated unpaved roads must be periodically maintained with additional applications of water and magnesium chloride as needed to maintain effectiveness. Magnesium chloride is not effective, even with product reapplication, for periods of more than one year.

TABLE 1
TRAFFIC AREA APPLICATION REQUIREMENTS
Appropriate Use of Liquid Dust Palliatives and Application Rates

(Traffic Area: Any land area upon which vehicular traffic is reasonably expected to occur due to location, topography or access)

**Dust palliative materials must conform to all applicable Environmental /
Regulatory Policies and General Use Requirements**

Product Type	Use/Treatment	Dilution Ratio		Application Rate gallon/yd ²	Notes
		Range	Typical		
Synthetic polymers: polyvinyl acetate vinyl acrylic	Topical Road or parking lot	1:12-1:4	1:9	0.50	1,2,3,4
	Topical Road shoulder	1:12-1:4	1:9	0.50	
	Windrow Road surfaces	1:12-1:4	1:9	0.25/0.25/0.50	
Organic petroleum products: modified & unmodified asphalt emulsions	Topical Road or parking lot	1:8	1:4	0.50	1,2,3,4,5
	Topical Road shoulder	1:10	1:7	0.25	1,2,3,4,5
	Windrow Road surfaces	1:8	1:4	0.40	1,2,3,4,5
Magnesium chloride only. Other deliquescent/ hygroscopic salts, including calcium chloride and sodium chloride are not permitted	Topical Road or parking lot			0.50	1,2,3,4,6,8,9
	Topical Road shoulder-not Allowed				1,2,3,4,6,8,9, 10
	Windrow Road surfaces			0.25/0.25	1,2,3,4,6,8,9
Fibers/Mulches	Not Allowed Unpaved Road and other Traffic Applications	Not Applicable		Not Applicable	12
Lignin-Based Types (Lignosulfonate)	Topical Road or parking lot	1:1	1:1	0.50 to 1.00	1,2,3,4,5
	Topical Road shoulder	1:7-1:4	1:4	0.15 to 0.20	1,2,3,4,5
	Windrow Road surfaces	1:1	1:1	0.25/0.25 to 50/0.50	1,2,3,4,5
Organic non- petroleum products: animal fats, molasses/sugar beet, tall oil emulsions, vegetable oils	Topical Road or parking lot	1:10 -1:2	1:5	1.00	1,2,3,4,5
	Topical Road shoulder	1:10 -1:2	1:5	1.00	1,2,3,4,5
	Windrow Road surfaces	1:2- 1:1	1:1	0.15/0.15	1,2,3,4,5
Other	As approved by Code Compliance Officer				

Non-Traffic Area Applications:

1. Organic petroleum products, including modified and unmodified asphalt emulsions, are not permitted on non-traffic areas. These palliatives are subject to NAC 445A.2272(b) and may discolor the land surface and produce unpleasant odors.
2. Deliquescent/hygroscopic salts are not allowed for non-traffic stabilization. These salts require frequent re-watering to be effective in the Pahrump Valley, are not effective for periods of more than one year, and tend to leach chlorides when precipitation occurs.
3. Lignin-based palliatives are not allowed for non-traffic stabilization. Surface binding action of lignin-based palliatives may be reduced or completely destroyed when heavy rains occur. The decreased binding action of these products following heavy rains renders areas treated with lignin-based palliatives vulnerable to wind erosion after rain occurs. Leachate from lignin-based palliatives may also adversely impact the quality of storm water runoff.

**TABLE 2
NON-TRAFFIC AREA APPLICATION REQUIREMENTS**

Appropriate Use of Liquid Dust Palliatives and Application Rates

(Non-Traffic Area: Any land area upon which no vehicular traffic is reasonably expected to occur due to site specific conditions; e.g., remoteness, fencing or other access controls)

Dust palliative materials must conform to all applicable Environmental / Regulatory Requirements and General Use Requirements.

Product Type	Use/Treatment	Dilution Ratio Range Typical	Application Rate gallon/yd ²	Notes
Synthetic polymers: Polyvinyl acetate Vinyl acrylic	Topical Vacant Land	1:12-1:4 1:9	0.50	1,2,3,4
Organic petroleum products: modified & unmodified Asphalt emulsions	Not Allowed Vacant Land	Not Applicable	Not Applicable	10
Deliquescent/ Hygroscopic salts: Magnesium chloride brine, calcium chloride brine or flakes, sodium chloride	Not Allowed Vacant Land	Not Applicable	Not Applicable	10
Lignin-Based Types (Lignosulfonate)	Not Allowed Vacant Land	Not Applicable	Not Applicable	10
Fibers/Mulches	Topical Vacant Land	As prepared	500-6000	1,2,3,4,11
Organic non-petroleum products: animal fats, molasses/sugar beet, tall oil emulsions, vegetable oils	Topical Vacant Land	1:10-1:2 1:5	1.00	1,2,3,4,5
Other	As approved by Code Compliance Officer			

NOTES: (See last column in preceding Application Guideline tables)

1. Topical application rates shown are to obtain ½ to 1 inch of penetration. Higher application rates should be used if greater penetration is needed. Windrow rate shown is to give sufficient penetration to form a 4-6 inch thick temporary travel surface.
2. The dilution ratio (concentrate: water) is variable, and shall be appropriate for the intended use, and local soil and weather conditions, as proposed by the Contractor and agreed upon by the Code Compliance Officer. Warranty conditions in Note 4 apply.
3. Application rate of mixed solution at the typical dilution ratio. Lifetime conditions in Note 4 apply. For windrow applications, the rates separated by slash marks indicate the first/second/third application. First application is after removal of windrow. Second application is after replacement of windrow. Third application, if needed, is after second application.
4. Application of diluted suppressant shall be sufficient to achieve a minimum warranted lifetime of one year from date of application.
5. These palliatives are subject to NAC 445A.2272(b) and may discolor the land surface and produce unpleasant odors.
6. Must be periodically maintained with additional applications of water and salt as needed to maintain effectiveness. Allowed only for short-term (< one year) stabilization of unpaved roads. May not be used on trafficked areas within 20 yards of a drinking water well-head, natural or artificial drainage channel or other surface water feature unless approved by the Code Compliance Officer.
7. Surfactants may be added to assist penetration of water and dust palliative into hydrophobic soils. Surfactants by themselves are not allowed for use as dust palliatives. Phosphates not allowed as surfactant constituents.
8. Brine strength may vary as supplied from manufacturer, but is typically in the range of 20-40 percent solids by mass. Maximum and minimum allowable strengths to be set by the Code Compliance Officer.
9. Sodium chloride (NaCl) not allowed for any application, because it is ineffective at ambient relative humidity below 76 percent. Relative humidity above 50 percent seldomly occurs in the Pahrump Valley.
10. Deliquescent/hygroscopic salts are not allowed for use on vacant lands or on road shoulders near surface waters or surface drainage because of adverse water quality impacts, including elevated chloride concentrations in storm water runoff and in groundwater.
11. Application rate in pounds per acre at the on-site blended strength.
12. Fiber mulches are not effective for traffic applications.

ATTACHMENT 3

**DESIGN AND POSTING OF
DUST CONTROL PLAN SIGNAGE**

POLICY ON DUST CONTROL PLAN DESIGN AND POSTING OF SIGNAGE

Pursuant to Nye County Code 15.28.090, Nye County has developed this policy to address questions related to the posting of informational signs on construction sites in the Pahrump Regional Planning District, Nye County, Nevada. Because this policy is referenced in the code, non-compliance may result in a Notice of Alleged Violation.

The following text is excerpted from Subsection 15.28.090 for purposes of convenience:

The owner/operator will:

Install a sign on said property prior to commencing construction activity that is visible to the public and conforming to County policy on Dust Control Plan Design and Posting of Signage as described in 15.28.160, Posting of Informational Signs on Construction Sites.

In addition to the requirements listed pursuant to subsection 15.28.090, the Dust Control Plan sign shall conform to the following requirements listed pursuant to Subsection 15.28.160:

1. The signboard shall be constructed with materials capable of withstanding the harsh environment (e.g., strong winds, intense sunlight) of Nye County. Nye County recommends the following materials:

- (a) $\frac{3}{4}$ " A/C laminated plywood board 2 feet by 2 feet in dimension;
- (b) 4"x4" posts;
- (c) Posts should be attached to the plywood board with a minimum of two (2) carriage bolts on each post; and
- (d) The front surface of the signboard should be painted in the contrasting colors of a white background with black lettering, or
- (e) A minimum of 0.118" DiBond® Composite Material (aluminum sheets over a thermoplastic core) a minimum of 2 feet by 2 feet in dimension;
- (f) 1 7/8" galvanized steel center post with the base of the sign four feet above ground level;
- (g) The sign should be attached to the post with a single fastener to allow for heat expansion; and
- (h) The front surface of the signboard should have a white background with contrasting black lettering.

2. The signboard shall contain the following information:

- (a) Project name;
- (b) Owner/Operator name;

- (c) Telephone Number of person responsible for dust control;
- (d) Nye County Air Quality Program Administrator telephone number;
- (e) Building, site preparation, or conditional use permit number;
- (f) Dust Control Plan Number; and
- (g) Project Acreage.

3. The signboard shall be designed to the following alpha and numeric text dimensions (signboards written in longhand are unacceptable).

- (a) Nye County provides the following example:

PROJECT NAME:	(Proj. Name)
OWNER/OPERATOR:	(Your Name)
OPERATOR TELEPHONE NUMBER:	(Your Number)
NYE COUNTY— AIR QUALITY PROGRAM ADMINISTRATOR TELEPHONE NUMBER:	(Pahrump Phone Number)
BUILDING/OTHER PERMIT NUMBERS:	(Permit Number)
DUST CONTROL PLAN NUMBER:	(Plan Number)
PROJECT ACREAGE:	(Acreage)

ATTACHMENT 4

DUST CONTROL CODE